

| Product Number | Daytime Color | Applications | Typical Average R_A ¹ | Adhesive | Meets NFPA Helmet Requirements ² | Other Certificates ³ |
|----------------|-------------------------|--|------------------------------------|----------|---|--|
| 8830 | Silver | Fire apparel accessories such as helmets and rubber boots. General occupational helmets. Can be die-cut into letters, numbers, shapes and emblems. | 500 | Acrylic | Yes | ANSI/ISEA 107-2004, Level 2 |
| 8850 | Silver | Flexible, comfortable surfaces such as non-vinyl rainwear and rubber boots. | 500 | Rubber | No | ANSI/ISEA 107-2004, Level 2 EN471:2003, Level 2 |
| 8886 | Fluorescent red-orange | Fluorescent for daytime visibility. Fire apparel accessories such as helmets and rubber boots. General occupational helmets. Can be die-cut into letters, numbers, shapes and emblems. | 175 | Acrylic | Yes | None |
| 8887 | Fluorescent lime-yellow | Fluorescent for daytime visibility. Fire apparel accessories such as helmets and rubber boots. General occupational helmets. Can be die-cut into letters, numbers, shapes and emblems. | 175 | Acrylic | Yes | None |

¹Coefficient of retroreflection (R_A) measured by 3M on new product at 5° entrance angle and 0.2° observation angles. ANSI/ISEA 107-2004 minimum coefficient of retroreflection for Level 2 retroreflective material in 330 cd/lux/m²

²Meets the helmet requirements as listed in the Technical Data Sheet for 3M Scotchlite Reflective Material – Series 8800 Pressure Sensitive Adhesive Films for NFPA 1971 Standard on Protective Clothing and Equipment for Structural Fire Fighting and Proximity Fire Fighting, 2007 Edition; NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting, 2005 Edition; and NFPA 1951 Standard on Protective Ensembles for Technical Rescue Incidents, 2007 Edition.

³ANSI/ISEA 107-2004: American National Standard for High Visibility Safety Apparel and Headwear. EN 471:2003: European Norm – specification for high visibility warning clothing.

The reflected color during nighttime viewing is white.

See Technical Data Sheets for more information.

Available in rolls of 100 meters and 200 meters.